

INTRODUCTION3
TOOL KIT CONTENTS.....4
COMMON PRINCIPLES AND BEST PRACTICES

TOOL KIT CONTENTS

This tool kit includes three model memoranda of understanding, two letter templates, and an informational brochure for treatment court participants and their loved ones. You can download Word versions of these documents from <https://www.ndci.org/resource/training/medication-assisted-treatment/moud-toolkit/> and customize them as needed.

Partner Agencies Agreement. Appendix A

VbagT\af`T` bVK` X` beTaWh` bYhaVKefgTaWwZ`
fcXVM`aZ`g`X` hgT`T`TZEXW`hcb`a`b`Xf`
TaWefcbaf`U`g`Xf`bYg`X`cTeg`XeaZ`TZaVXf`
j`be`aZ``a`g`X`g`XTg`XagVbheg`G`X`checbfX`
bYg`f`TZEX`Xag`f`g`Xaf`he`g`TgT`g`T`
`X`UXef`TeX`ba`g`X`fT`X`cTZ`X`b`bj`
UXfgceT`Vg`VXf`Z`TaWw`b`abgj`be`T`g`V`b`f`f`
checbfXf`be`a`TW`Xeg`Xag`l`ha`W`e``a`X`@`BH7`
XYXVgi`Xa`X`f`!`F`g`T`Y`e`f`cbaf`U`g`Xf`b`hg`a`X`W`a`
g`X`X`be`Ta`Wh``a`V`h`W`f`V`e`X`a`a`Z`c`Teg`V`c`Tag`f`
Y`be`g`X`e`cb`f`f`U`X`a`V`W`T`g`b`af`Y`be`@`BH7`Z`T`^`a`Z`
f`h`g`T`U`X`e`X`e`f`f`Z`b`a`g`b`e`a`Z`X`V`W`T`g`b`a`
Vb`c`T`a`V`X`Z`e`f`c`b`a`W`a`Z`T`c`c`b`c`e`T`g`X`l`g`
a`Ye`T`V`g`b`af`Z`W`i`X`e`a`Z`Vb`c`X`Xag`T`e`f`X`e`V`X`f`g`
Y`T`V`g`T`g`f`h`V`X`f`f`j`g`@`BH7`Z`f`X`X`^`a`Z`Y`h`a`W`a`Z`Y`be`
g`X`X`V`W`T`g`b`af`Z`T`a`W`W`k`ag`M`a`Z`d`h`T`X`W`X`V`W`T`
c`b`i`V`K`e`f`!


Recruitment Letter for Medical Providers.

4ccXaWk'8VbagT'af'T` bVX TU_X'gk' c_Igk' YbeT_XggXeYeb` g' X'geXTg XagVbheg]hVZX'p' cdbfcXVgi X@BH7'cebi VVkef`'agbWhVaZ'g' X' 'p' g' X'cbbZef` TaWai VgaZ'g' X' 'p` XXgj' g' g' X' gkT` TaWbaf VVke'cebi VVaZ'aXXWkfXe' VVf' Ybe' cTegVcTag!'G[X' XgXefXX^f'p' VV'cX_Vb` ` ba' ` VVbaVXcgbaf'g' Tg` XWWT_cetVggbaxef' ` TI [Ti XTUbhggeXTg XagVbheg'ZhaVkefVbexf' g' TgcTegVcTag' eVX'X'geXTg XagTaWbg'Xe' eX[TU\gTgi X'fXe' VVf' 'a' Xh'bYgeTWgbaT_Ve' 'aT_]hfgVX'fTaVgbaf ZTaWcobi VVf' TffheTaVXf'g' Tg' geXTg XagVbhegf'g'Yj' _j' be^Vb_IUbeTgi X_I' j' g' g' X'` XWWT_cetVggbaxegp' Xa[TaVX'Ubg' chU_V'[XT_g' TaWchU_V'fTYg' bU]XVgi Xf!'`

Letter to Jail Officials.

9aT_IZ4ccXaWk'9' VbagT'af'T` bVX TU_X'gk' c_Igk'YbeT_XggXe' Yeb` g' X'geXTg XagVbheg]hVZX'p']T_by VT_f' j [b` TI VV'al' bec_IVX'haWh'X'eXf'geVggbaf'ba' @BH7'Ybe'a` Tgkf!GeXTg XagVbheg'` TI ZTg' g' XfZTW' 'a'f'g'keUeXY]T_fTaVgbaf' YbefXebhf' cdbZef` 'a'VeTVgbaf ZTaW' Tal' cTegVcTag' TeX'

haj _aZ'p' UXZ'a'beVbagahX` Xg' TWbaX'be' UhceXabec['aX'Ybe'YXTe'bYUXaZ'gT'^Xa' bYg' X' ` XWWTgba'ceXVc'p'hf_I' TaWfhYXeaZ' TVhg' j' g' Vef] T_ZVefi' 'aZf'Zbebg' Xe` XagT'_I' XT_g' ' fl` c'p` f'ff[Te' T'XgT_I_Z%#\$*fl'<ai b_hagT'd' j' g' Vef] T_Yeb` 'bc'b'Vf' Wh'e'aZ' Vhf'p'W' VTa'UX' ` XWWT_I' [TmTeVbhf'ZeXWhVXf'g' X'_X'Y' bbWg' Tg' 'aV'b' A



COMMON PRINCIPLES AND BEST PRACTICES

The documents in the appendices are written for different parties and contexts and emphasize different issues, and the language is simplified for participants and their significant others. However, common principles and best practices are reflected in each of

fl` cdp` fZbc`bVWefi`aZfZbeTffbVTgKW` XagT`
[XTg`fl` cdp` f`fhV[Tf`WkceXffbaZ`egT`U`Vg`Z
beTa[XWbaV`fibff`bYc`XTfhexfl`4cc`_`aZ` [V[ž
` TZa`ghVX`fTaVgbaf`Ybecb`bWhf`X`cebe`p`g` f`
_Xi`X`_bYV`_aVT`_fgT`U`nTgba`_f`_Y`X`_`p`geZZXe`
YX`_aZf`bY`XTeaXW[Xc`XffaXff`ZVThf`X`g`X`
geX`Tg` XagVbheggT` `p`hf`X`hc`_`g`Ti`T`U`X`
fTaVgbaf`ceX` TgheX`_ZTaWj` bef`Xa`bhg`b` Xf!

Treatment Court Responsibilities

GeX`Tg` XagVbheggT`gT`Y[Ti`X`VegVT`_exf`cbaf`U`V`g`Xf`
YbeXaf`heaZ`_g`X`f`TY`TaWXYXVgi`X`hf`X`bY`@BH7!`
_a`T`W`V`g`ba`p` `ba`p`beaZ` `X`W`V`T`g`ba`Vb`_c`_T`a`V`X`
TaWeXf`cba`WaZ`_p`_a`YeT`V`g`baf`Z`bg`Xe` `c`beT`ag`
WhgXf`_a`V`_h`W`_f`V`e`X`a`_a`Z`_c`TegV`c`Tag`_c`eb`TV`gi`X`_`
Ybe`cb`f`f`U`X`_a`W`V`T`g`baf`_Ybe`@BH7Z`_T`^`a`Z`
f`h`g`T`U`X`_e`X`e`T`_f`j` [Xe`_a`W`V`T`g`V`Z`_b`gi`T`g`a`Z`
c`TegV`c`Tag`T`V`X`c`g`f`a`V`X`b`Y`e`X`e`T`_f`Z`V`X`_i`Xe`a`Z`
Vb`_c`_X`_XagT`d`_Vbhaf`X`_a`Z`_TaWf`b`V`T`_f`X`e`_V`X`f`_p`
Y`T`V`_g`T`g`_f`h`V`X`f`f`_ba`_@BH7Z`_TaWj`_be`^`a`Z`_p`_a`W`
T`V`K`d`h`T`g`_Y`ha`W`a`Z`_Ybe`@BH7`_TaWdh`T`_X`W`_X`W`V`T`
_c`eb`i`V`X`e`f!

Screening and referral. 4`_c`TegV`c`Tag`_Xag`XeaZ`
_g`_X`geX`Tg`_XagVbheggT`[bh`_W`U`X`_f`V`e`X`a`X`W`T`g`
_agT`^`X`f`a`W`g`_Xe`T`Y`ge`V`g`_Xe`V`_a`V`T`_c`e`X`f`XagT`g`ba`
_V[TaZ`X`f`f`Y`becb`f`f`U`X`_a`W`V`T`g`baf`_Ybe`@BH7!`
5`X`V`T`h`f`X` `Tal`_geX`Tg`_XagVbheggT`_Vb`_abg`[Ti`X`
T` `X`W`V`T`_c`e`T`V`g`g`ba`Xe`ba`_f`g`Y`Z`g`_f`_Y`ha`V`g`ba`
`_TI`_U`X`_c`X`e`b`e`_X`W`U`_T`_g`T`_a`X`W`f`b`V`T`_j`_be`^`X`e`Z`
_c`f`l`_V[b`_b`Z`_f`g`Z`V`X`e`g`_X`W`T`V`W`V`g`ba`_Vbhaf`X`_be`Z`be`
_bg`_Xe`V`_a`V`T`_`_V`e`W`K`agT`_X`W`c`b`Y`X`f`_ba`T`_G[X`
_f`V`e`X`a`_a`Z`_f[bh`_W`T`f`f`X`f`f`j` [Xg`_X`e`g`_X`c`TegV`c`Tag`
[Tf`_Ta`_BH7`_TaW`f`_T`g`e`f`_^`_Y`b`e`f`_X`e`b`h`f`_e`X`_X`e`h`f`f`_baf`
Y`b``_g`_f`_W`f`_b`a`_V`e`Z`f`h`V[Tf`_bi`_Xe`W`f`_X`Z`_geX`Tg`_Xag`
_V`b`c`b`h`g`Z`_b`e`a`b`a`e`X`f`c`baf`X`_p`_geX`Tg`_Xagj`_g`_bhg`
_@BH7!`_c`TegV`c`Tag`_f`V`e`X`a`_a`Z`_c`b`f`_g`i`_X`f`[bh`_W`
_U`X`_e`X`e`T`W`T`f`_f`b`b`a`_T`f`_c`b`f`f`U`X`_p`_T`_d`h`T`_X`W`
`_X`W`V`T`_c`e`T`V`g`g`ba`Xe`_Y`b`e`T`_Vb`_c`e`X[Xaf`_i`X` `X`W`V`T`_`
_Xi`_T`_h`T`g`ba`_Ta`W`W`X`g`e`_`_a`T`g`ba`_b`Y`g`_X`e`f`h`g`T`U`_g`_`
_Y`b`e`@BH7!`_8`k`T`_`_c`_X`f`_b`Y`ch`U`_V`_l`_Ti`_T`_U`_X`_Ta`W`
_i`_T`_V`T`g`W`f`V`e`X`a`_a`Z`_p`b`_f`_g`_T`g`T`e`X`_Vb`_`_`_ba`_l`_h`f`_X`W`
_Y`b`e`g`_X`f`_X`_c`h`e`c`b`f`_X`f`_`_a`_V`_h`_W`_Z`_U`h`g`T`e`X`_a`b`g`_Z`_`_g`X`W`p`Z`
_g`_X`_Y`b`_bj`_a`Z`-

Screening for Opioid Use Disorder

[Rapid Opioid Dependence Screen \(RODS\)](#)

[ffXX`g`_X`T`cc`Xa`Wk`_a`_g`_f`_T`eg`V`_X`f`l`](#)

[Texas Christian University \(TCU\) Drug Screen-5-Opioid Supplement](#)

Screening for Opioid Withdrawal Symptoms

[Clinical Institute Narcotic Assessment \(CINA\) Scale for Withdrawal Symptoms](#)

[Clinical Opiate Withdrawal Scale \(COWS\)](#)

[Subjective Opiate Withdrawal Scale \(SOWS\)](#)

Screening for Opioid Cravings

[Brief Substance Craving Scale \(BSCS\)](#)

Motivating acceptance of referrals. A`bg`T`_`
_c`TegV`c`Tag`_a`X`X`W`a`Z`_@BH7`_j`_`_U`X`_`_`_b`g`i`T`g`K`W`
_p`_T`W`X`c`g`T`_e`X`X`e`T`_`_f`b`_`_X`c`TegV`c`Tag`_`_`_T`l`_`
[Ti`X`[X`T`e`W`a`X`Z`T`g`i`_X`_b`e`f`g`Z`_`_T`g`m`a`Z`_Vb`_`_`_Xag`_`
T`U`b`h`g`@BH7`_`_Y`b`e`X`k`T`_`_c`_X`Z`g`_T`g`_g`_`_X`e`X`_`_`
_f`h`U`f`_g`g`h`g`k`_f`_ba`X`_T`W`W`V`g`ba`_Y`b`e`T`a`b`g`_X`e`b`e`^`X`X`c`f`
_c`X`b`c`_X`W`K`c`X`a`W`K`ag`ba`_f`h`U`f`_g`f`a`V`X`f`_`_a`W`K`_`_a`g`_l`_`
4`_g`_bh`Z`[`W`X`V`W`a`Z`_j` [Xg`_X`e`p`_g`T`_`_X`_`_X`W`V`T`g`ba`_f`_`
T`i`_b`h`a`g`T`_e`_V[b`V`X`Z`X`k`_b`e`a`Z`_Ta`W`e`X`T`_g`_z`g`f`_g`a`Z`
_g`_X`f`_X`f`_X`a`g`_`_Xag`_`_f`_V`eg`V`T`_`_7`_X`f`_c`_g`_T`_e`X`c`T`g`K`W`
[_f`p`d`_b`Y`T`_X`W`T`g`g`_`_c`g`_`_a`_`_X`W`V`T`g`ba`_Z`e`X`_`
_Vbhaf`X`_a`Z`_Z`f`b`_`_X`c`TegV`c`Tag`_`_`_T`l`_`_V`_a`Z`_p`_g`_g`_X`
_T`_z`b`e`a`b`g`_`_a`Z`_U`X`_Y`Y`g`_T`g`g`_X`e`X`_f`_`_ba`_l`_`_ba`X`_e`b`T`W`g`p`
_f`h`W`X`f`f`_j`_`_f`[_a`Z`_p`_Ti`_b`W`U`X`Vb`_`_`_a`Z`_W`K`c`X`a`W`K`ag`
ba``_X`W`V`T`g`ba`_Z`g`_X`l`_`_`_T`l`_`_`_X`X`c`_g`_X`_`_f`_X`l`_X`f`_`_U`b`h`a`W`
p``_b`e`X`_W`f`_g`h`V`g`i`_X`_T`a`W`V`T`a`Z`_X`e`b`h`f`_f`h`U`f`_g`f`a`V`X`f`!
9`b`e`f`h`V[_c`X`e`f`_baf`_Z`g`_`_T`l`_`_U`X`[X`c`_h`_p`_f`c`X`T`^`T`U`b`h`g`

Vt'aUX'cəfVeUXWəb` T'cəi Tg'c[I fVt'a f'by VX'
TaWw'cXafXWəb` Tal'c[Te` TVI Žg hf' bUi VgaZ'
g' X'aXXWg' Zb'g' T'fcXVT_nXW` Xg' TWbaX'V_aV'
g' Tg` TI `abgUXVbai XaXagL`_bVTgXW`

4abg' Xecəb` V'aZ'fgeTgZI` V'g'p[Ti X'geXTg' Xag'
VbhegZetVhTgXf' bebg' XecXef' baf' j [b' [Ti X'
fhVvXXWwba'@BH7` XXgj` Vg' aXj' cTegV'cTag' Ž'
TV^abj`_XVZX'g' X'ebj` a` a'gT`_eXgVXaVX'g'gT'^X'
` XWVTgbaŽTaWw'fVeUX'g' X'efhUfXdhXag'
cbf'g'i X'XkcXeXaVXf!'8TV[cTegV'cTagj [b'
fhVvXXW' ba'@BH7` UXVb` Xf' T'cbgXagT`_cXXe'
advisor for new participants and can contribute to
T'Vb_XVgi X'TWVXcgTaVX'by@BH7` a'g' X'geXTg' Xag'
Vbheg` \Xh!

Communal psychoeducation. FgZ` TgmaZ'be'
VbhagXecəbVhVgi X` XffTZXf' Yeb` cTegV'cTag'`
YT` V` X` UXef' be'_bi XWbaXf' Ž` X` UXef' bYg' X'
fXVz[X_c'eXVbi Xd' Vb` ` ha'g' ŽYX_bj' g'eXTg' Xag'
Vbheg' Ž`

TgWfVbhagWYXXf Ybeha'afheXWTaW_bj žaVb` X'
aVM Wht_f!GeXTg XagVbhef VTa`bVTgX'9D; 6f`
a_g XeVb` ` ha'g Tg

Find a Health Center, HRSA

G[X'& #5'7dhZ`CeVaz`CdbZeT` `f`T`
YXWet_Zbi Xea` XagcdebZeT` `exdh`eaZ`WhZ`
` TahYTVgheXef`cTegVcTgaZ`a`@XVWTWg`
cđbi VV`bhg:TgXag` XVWTgbaf`đ`X`Z`U`X`
[XT_g VTex`beZTa`ntgbaf`TaWbg`XeVbi XeXW
XaggXf`Tgf`Za` VTagL`eXWhVXWceVXf!`6bi XeXW
XaggXf`TeX`g`bf`X`g`Tgf`Xe`X`[V[] i`h`a`XeTU`X`
cbch`Tgbaf`ZaV`h`WaZ`[bfc`gT`f`g`XTgaZ`T`
disproportionate share of poor and uninsured
cTgXagf`Zfb`X`Vb` ` ha'g` [bfc`gT`f`ZTa`WeheT`_`
eX`XeeT`_VXagXef!`6bi XeXWXaggXf` TI`UX`exdh`eXW
đ`cđbi VV`WfVbhagXW` XVWTgbaf`abgbaL`
đ`@XVWTWexVc`Xagf`UhgT`f`b`đ`ha'af`heXW
patients and those covered by Medicare or private
`af`heTa`VX!`@beX`a`Ye` Tgba`TUbhg`bVTgaZ`
Vbi XeXWXaggXf` VTa`UX`bUgT`aXW`eb` -`

Of ce of Pharmacy Affairs, HRSA

G[X` bfgVb` ` ba`eX` \ bA ` e
U \ XQ a bb ! TTgb f U V VVcaVTW Uk8W a YJgXW
\ b`

Behavioral Health Treatment Services
Locator, SAMHSA

Buprenorphine Practitioner Locator, SAMHSA

Opioid Treatment Program Directory,
SAMHSA

Find a Treatment Facility, SAMHSA

State Opioid Treatment Authorities, SAMHSA

a TWWYgbaŽf\az_XfgTg' TZXaVXF fFF 4ffYbe'
fhUfgTaVX'hfX'gXTg XagbYgKa` T'agT'a_fgf'
bYVexVWagT_XWcobi VVef ŽaV_hWaz'g bfX'
Thđ benXWđ'cđi VV'by VXžUTfXWgXTg Xagj 'đ'
UhceXabec['aX!'6b_XZXf Žha'ì Xef'gXF ŽTaW' XWWT_'
fV[bb_f 'TeX'XkVX_XageXf bheVXf 'be_bVTgaZ'
fhUfgTaVX'hfX'gXTg XagfcXVT_fgf!'9aT_žfgTg'
beVbhag 'UbTēV' bY[XT
beVb a b Vgā
fh%o` gTaVX'a g) X_a



TaWbc bWzX_IgW begT_g f7X_V[XeXgT_lZ%#\$(:

@Tebj XZ7!5!Ž: TeWaŽ6!7!Ži 9bkŽ6!?!f%#\$) fl Painting
the current picture: A national report on drug courts and
other problem solving courts in the United States.

FgTaZŽ=!f%\$(f!7XTg` TggXef-HaVkefgTaVWaZ[Xeb'a"
bc\TgX'biXeWbfX'eF^TaWgXfgaZ'cbgKagT_gh'ceXI Xag
WKTg f!Addiction, 110f(%fZ%* &! [ggcf-"Wb\beZ"\$#!\$\$\$"
TVWV\$% #'

FgTaZŽ=IŽ>X_X[Xē@!Ž5Xfg7!Ž@TI XgZF!Ži '@Taa'aZŽi!
f%#) f!8' XēZ'XaVI 'aT_bkbaX'be[Xeb'a'bi XeWbfX-F[bh_W
gUX Ti T\TUX'bi Xēg X'VbhagXe2British Medical Journal,
333,) \$')\$(! [ggcf-"Wb\beZ"\$#!\$\$&)"U']!&&!*(), !)\$'

FhUfgTaVX'4UhfX'i '@XagT_ XT_g FXe VXF'4W 'a'fgeTgba!
f%\$*\$f!Peer support roles in criminal justice settings.
[ggcf-"j j j !hfYXWh"VUVf" [_c"gtV"WbVh` Xag"
UX[Ti 'beT_ž XT_g VTē" cXXēb_Xf žV]žf XggaZf!cVW

FhUfgTaVX'4UhfX'i '@XagT_ XT_g FXe VXF'4W 'a'fgeTgba!
f%\$, f!Use of medication-assisted treatment for opioid use
disorder in criminal justice settings fi ; F'ChU!A b!C8C\$, ž
@4GHF86=f! [ggcf-"j j j !fT` [fT!Zbi "ēf bheVX"XUc"
hfXž XVWTgbažTff f gXVgXTg Xagbc'bWžhf XžWf beVXē
Ve\ 'aT_žhf gVXžf XggaZf

FhUfgTaVX'4UhfXTaW@XagT_ XT_g FXe VXF'
4W 'a'fgeTgba! f%#%#f!Medications for opioid use disorder:
Treatment Improvement Protocol (TIP) 63

- B. Selecting the proper medication dosage and deciding whether to reduce the dosage or discontinue the medication are medical decisions to be made by a trained and lawfully credentialed medical provider in consultation with the participant. Nonmedically-trained members of the**



IX. Identifying Providers and Funding for MAT

- A. The treatment court team will make all reasonable efforts to identify competent and lawfully qualified MOUD providers in the local community, including querying online directories of medical providers and treatment agencies specializing in addiction medicine or addiction psychiatry, and reaching out to the single state agency for substance use treatment, state or county boards of health and medical societies, and local colleges, universities, and medical schools.
- B. Case managers or benefits assistants working with the treatment court will identify and help enroll participants eligible for Medicaid or other third-party reimbursement for MOUD.
- C. The treatment court team will make all reasonable efforts to obtain grant or other external funding for MOUD if available, such as applying for funds from state block grants or appropriations, contacting federally qualified health centers (FQHCs) offering discounted medications for uninsured and low-income individuals, attempting to negotiate reduced-price medications from pharmaceutical companies, and reaching out to covered entities offering reduced medication rates for specified vulnerable populations under the federal 340B Drug Acquisition Program.

MEMORANDUM OF UNDERSTANDING

Medical Practitioners Prescribing Medications for Opioid Use Disorder for
Participants in the _____ Treatment Court

I. Access to Medications for Opioid Use Disorder

- A. The _____ Treatment Court is committed to providing safe and effective treatments for substance use disorders while safeguarding participant welfare, public safety, and the fair administration of justice.
- B. Medications for opioid use disorder (MOUD), including methadone, buprenorphine (e.g., Suboxone, Subutex (.)3.5l9,nci (r)-7.9 (5)-7.3 (x)43.8 lone


- F. The medical provider agrees to respond within 48 hours to questions or concerns from treatment court staff about a participant's apparent lack of responsiveness to the treatment plan, possible medication side effects, and suspected misuse or diversion of the medication. Medical providers will respond as soon as practicable to any report of serious or life-threatening symptoms and will provide treatment court staff with emergency instructions and contact information for emergency services to be used in the event of a medical 9 (e)-09 (e)-04_1 1 Tf0rT0.265n467SLK




PARTICIPANT AGREEMENT


Medications for Opioid Use Disorder in the _____ Treatment Court

We are asking you to read this form (or have it read to you) and sign it before starting or to keep






- **Peer mentors.** The treatment court may pair you up with a peer mentor or peer recovery support specialist. Peer mentors are people with lived experience who understand MOUD and may once have been involved with the criminal justice system themselves. They have been trained in how to be helpful and can help you deal with doctors, find ways to pay for MOUD, take your medication the right way, make it to your appointments, and do well in the program and after you leave.
- **Recovery groups.** People in the treatment court are required to go to self-help groups such



Dear _____:



G[Y`XgXeG8@C?4G8VTaUX` bWk XWTF`
TccðceTg`ð`eTfXVbaVXeaf j`g`JT\bY VT_f`
j`[b` TI`cð[Ug@BH7`beT`cTegVh_Ie`
`XVWTgba`a`g`Xe`af`g`h`g`ba`be`Xdh`eX`a` TgXf`
ð`V[TaZX` XVWTgbaf`ð`h`g`a`X_I`begTcXeð`X`
`XVWTgba`Vb`f`TZ`X`!G[X`a`g`X`a`g`f`ð`UXZ`a`T`
Vb_IUbeTgi`X`W`f`V`h`f`f`b`a`j`g`JT\bY VT_f`eTg`Xe`
g`Ta`VeXTg`T`Vbag`X`a`g`b`h`f`Tg`b`f`c[XeX!

G[Y`G8@C?4G8VTa T_f`b`UX` bWk XWXTWV_I`Ye`
hfX`U`l`c`Teg`V`c`Tag`Z`W`A`A`F`h`bag`

¹ See, e.g.,