&$87,21

:$51,1*
)RUSHUVRQDOLQMXU\
EHSURWHFWHGRXQGHG

WARNING

Door Seal

Open the door.

6 D I H7WL\S V

‡ After a unit is in operation, do not touch the cold surfaces, particularly when hands are damp. Skin may adhere to the cold surfaces.
We recommend handling samples by wearing gloves to avoid frost bite.



‡ Never disconnect your unit by pulling on the power cord. Always grip the plug securely and pull straight out from the outlet.

‡ Do not use a power cord that shows cracks or abrasions. Have a qualified electrician repair or replace damaged cords immediately.

2SHUDW

:$51,1*

If the unit is tilted in excess of 30 degrees, do not apply electrical power for a minimum of 12 hours.

:$51,1*

,QLWLDO 6WDUWXS

7HPSHUDWXUH &RQWURO

&RQGHQVDWH 'LVSRVDO

)RU () PRGHOV

7KH FRQGHQVDWH GUDLQ LV DW WKH FHQWU

)RU (5 PRGHOV

(TXLSSHG ZLWK D GUDLQ SDQ WKDW FR

XAU_p8bPQPVVDGY8Dà

7URXEOHVKRRWLQJ

7KLV WDEOH LV LQWHQGHG WR DVVLVW LQ UHVROYLQJ XVHU FRUUHFWDE
WKHLU OLNHO\ FDXVHV ,I VHUYLFH EH\RQG WKH VFRSH RI WKLV WDEOH L
XVLU OWVHV I OLVW R...`pÀ €`pD€ðÀðÀ0KLVOLVV HVROUUHV LQXLU

0 D L Q W H Q

&DELQHW &OHDQLQJ

:$51,1*
:KHQ VHUYLFLQJ WKH XQLW
GLVFRQQHFW IURP WKH HOHFWULFDO
SRZHU VRXUFH

The cabinet interior should be cleaned frequently. Any spilled liquid should be wiped off immediately. Stains resulting from some spills can be permanent if not quickly removed. The most convenient time to clean the interior is after defrosting. The cabinet exterior should be cleaned occasionally. A mild detergent and lukewarm water or a solution of bicarbonate of soda (1 tablespoon per gallon of water) is recommended for cleaning the interior and exterior of the cabinet. All surfaces should be rinsed and thoroughly dried.

&$87,21
Do not use any type of abrasive such as steel wool, or fluids such as gasoline, Naphtha, and thinner. These materials could be harmful to

surfaces.
sur he use

wangate wrso ' water '

N ó ^ e

:(((&RPSOLDQFH

:(((&RPSOLDQFH 7KH SURGXFWV TXLWH RPSOLDQW :KH (OHFWULFDO (OHFWURQLF (TXLSPHQW :(((WKUHH FWLYH (& ,
IROORZLQJ 7KHUPRVWDW)RVWHU HQHUJ\ VWDU UHF\FOLQJ GRRUV SDFNDJLQJ 0HPEHUV DQG WKHLU SURGXFWV
GLVSRVHG RI RU UHF\FOHG WKURXJK WKHP)XUWKHU LQIRUPDWLRQ RQ 7
FRPSOLDQFH WKH 'LUHFWLYH DUH DYDLODEOH RQ WKHLU ZHEVLWHV
7KHUPR 6FLHQWLILF SURGXFWV ZKLFK PD\ DVVLVW WKH GHWHFWLRQ RI V
5R+6 'LUHFWLYH DUH ZDWHUPDUNHG RU OHJLEOH

:(((.RQIRUPLW¢ 4XHVWR SURGRWWR GHYH ULVSRQGHUH DOOD GLUHWWLYD GH
(& LQP HULWR DL ILQL GHOOD VLFXUH]]D GHL SURGRWWL GHILQLVFH
PDUFDWR FRO VHJXHQWH VLPEROR 7KHUPR)LVKHU 6FLHQWLILF KD VWLSX
GLYHUVH VRFLHW¢ GL ULFHUFDJJLR VPDOWLPHQWR LQ RJQXQR GHJOL 6W
SURGRWWR YHUU¢ VPDOWLWR R ULFHUFDWR WUDPLWH TXHVWH PHGHVLP
FRQIRUPH DOOH QRUPH GHOOD &RPXQLW¢ (XURSHD 5HJRODPHQWR
ULFHUFDJJLR QHO 9RVWUR SDHVH H LQIRUPD]LRQL VXL SURGRWWL 7KHUP
HVVHUH XWLOL DOOD ULOHYD]LRQH GL VRVWDQ]H VRVWDQ]LDWH DOOD 'LUHW
ZZZ WKHUPR FRP

&RQIRUP:LW« &H SURGXFWR RQIRUPH DGLUHFWLYH «HQQH
(& GHV« FKH GHVFULWWR TXHVWR PRGHOOR VRGGLVIDFH WXWWH OH
PDUTXDOLW\ PERVOXL YDORUL 7KHUPR)LVKHU 6FLHQWLILF